



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/714,987	09/17/1996	HUGH SHARKEY	17616-705	4099
23715	7590	04/04/2006	EXAMINER	
JOEL R. PETROW SMITH & NEPHEW, INC. 1450 BROOKS ROAD MEMPHIS, TN 38116			SHAY, DAVID M	
			ART UNIT	PAPER NUMBER
			3735	

DATE MAILED: 04/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



**UNITED STATES DEPARTMENT OF COMMERCE**

**U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

3292006

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**


The Board of Patent Appeals and Interferences affirmed the rejection(s) against independent claim 89, but reversed all rejections against claims 90-93, dependent thereon. There are no allowed claims in the application. The independent claim(s) is/are cancelled by the examiner in accordance with MPEP § 1214.06. Applicant is given a ONE MONTH TIME PERIOD from the mailing date of this letter in which to present the dependent claim(s) in independent form to avoid ABANDONMENT of the application. NO EXTENSIONS OF TIME UNDER 37 CFR 1.136(a) WILL BE GRANTED. Prosecution is otherwise closed.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the “moving the energy delivery device away from the portion of collagen containing tissue at the selected site, after delivering sufficient energy; and moving the energy delivery device back toward the portion of collagen containing tissue at the selected site, after moving away and sensing an elevated composite temperature due to the increased thermal energy in the fluid medium” must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the

Art Unit: 3735

renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.



**DAVID M. SHAY**  
**PRIMARY EXAMINER**  
**GROUP 330**